



Norwegian
Meteorological
Institute

METinfo

No. 22/2016
ISSN 1894-759X
Meteorology

Verification of Operational Weather Prediction Models September to November 2016

Mariken Homleid and Frank Thomas Tveten



Photo: Jan Erik Haugen

Contents

Introduction

Models	4
Post processed forecasts	4
The HARMONIE system	5
Verification measures	7
Observations	8

Mean Sea Level Pressure figures

Statistics by lead time	9
Monthly summary statistics the last three years	10

Temperature 2m figures

Statistics by lead time	11
Monthly mean error the last three years	12
Monthly standard deviation of error the last three years	13
Monthly mean absolute error the last three years	14
Maps for each region	15
Time series for selected stations	27

Post processed temperature 2m figures

Statistics by lead time	39
-----------------------------------	----

Long term ECMWF temperature 2m figures

Statistics by lead time	40
-----------------------------------	----

Wind speed 10m figures

Statistics summarized over Norwegian stations	43
Statistics summarized over Svalbard stations	44
Statistics summarized over north Nowegian stations	45
Monthly mean error the last three years	46
Monthly standard deviation of error the last three years	47
Monthly mean absolute error the last three years	48
Maps for each region	49
Time series for selected stations	55

Post processed maximum mean wind speed 10m figures

Statistics by lead time	66
Statistics for categorised events	66

Wind gust figures	
Statistics by lead time	67
Statistics for categorised events	67
Long term ECMWF wind speed 10m figures	
Statistics by lead time	68
Precipitation figures	
Statistics by lead time (RR12)	71
Statistics for categorised events (RR12)	71
Monthly mean error the last three years (RR24)	72
Monthly standard deviation of error the last three years (RR24)	73
Monthly mean absolute error the last three years (RR24)	74
Maps for each region (RR24)	75
Time series for selected stations (RR12)	81

More information...

Verification results are also available on internal web pages

- <http://metcoop.smhi.se/> - AROME-MetCoOp verification - 7 and 30 last days
- <http://verif/vmap/> - timeseries and windroses - on Google map

Models

The following models are verified in this report.

ECMWF	Global model (IFS) at the European Centre for Medium-Range Weather Forecasts. From 26 January 2010 horizontal resolution approximately $16 \times 16 \text{ km}^2$. From 8 March 2016 cycle 41r2 with horizontal resolution about 9km . ECMWF is available about 5 hours later than models run at MET.
AROME-Norway	HARMONIE cycle 37h1.1 with AROME physics and non-hydrostatic dynamics, horizontal resolution defined by a $2.5 \times 2.5 \text{ km}^2$ grid. Experimental since 25 October 2012, replacing Harmonie2.5 from 26 February 2013, on Yr from 1 October 2013.
AROME-MetCoOp (AM25)	HARMONIE with AROME physics, horizontal resolution defined by a $2.5 \times 2.5 \text{ km}^2$ grid on same domain as AROME-Norway. Run in cooperation with Swedish Meteorological and Hydrological Institute (SMHI). Experimental with cycle 38h1.1 since 9 December 2013, operational since 12 March 2014, cycle 38h1.2 since 8 December 2014.
AROME-Arctic (AA25)	HARMONIE with AROME physics, horizontal resolution defined by a $2.5 \times 2.5 \text{ km}^2$ grid, same domain size as AROME-MetCoOp. Experimental with cycle 38h1.2 since 15 October 2015.
MetCoOp ensemble system (MEPSmbr0)	MEPS has 10 ensemble members, only member 0, the control, is verified in this report. MEPS is based on HARMONIE cycle 40h1.1 with AROME physics and non-hydrostatic dynamics, horizontal resolution defined by a $2.5 \times 2.5 \text{ km}^2$ grid. Experimental since 25 May 2016. Operational status since 8 November 2016.

Analysis and lead times of forecasts are denoted by e.g. 00+30 UTC which indicates forecast generated at 00 UTC and valid 30 hours later.

Post processed forecasts

Most of the raw model data are post processed before being published on Yr.

For 2m temperature, the raw data is first adjusted to a fine scale (500 m) topography applying a vertical temperature gradient of -1.6 degrees pr. 100 m. The “height corrected” 2m temperature forecasts (AMHC) are in a next step adapted to observations by a Kalman filter at all observing stations. The Kalman filter corrections are interpolated horizontally to the 500 m grid by kriging, using weights which decrease with increasing distance from the observing stations, both horizontally and vertically. The interpolated Kalman filter corrections are finally added to the height corrected field, giving AMKF.

10 m wind speed is statistically post processed to represent maximum wind speed 10m last hour, and called AMPP.

The precipitation forecasts are post processed by a neighbourhood method giving a median field, AM-median. This field is used to determine the precipitation symbol on Yr.

ECMWF provides probabilistic forecasts based on a 51 member ensemble system at 30 km resolution. Consensus forecasts (ECens) are calibrated (ECensPP) before being presented on Yr.

The HARMONIE system

HARMONIE is the acronym for HIRLAM's meso-scale forecast system (Hirlam Aladin Regional/Meso-scale Operational NWP In Europe). The HARMONIE system includes several configuration options. This section presents some of the main components and setups that are used at MET. More documentation is available on <http://www.cnrm.meteo.fr/gmapdoc/> and <http://hirlam.org/>. A change log for AROME-MetCoOp is found on <https://wiki.met.no/nwp/metcoop/changelog/start>.

ALARO-0 physics

ALARO-0 has physical parameterizations targeted for grey scale resolutions (4-10 km). It is a spin-off of the Météo-France physical parameterizations used in the globale ARPEGE, but with a separate radiation scheme, 3MT micro-physical frame work, and the Toucans turbulence scheme. Much of the development has been done by the RC LACE (Regional Cooperation for Limited Area modeling in Central Europe) community.

AROME physics

AROME (Applications of Research to Operations at MEscale) is targeted for horizontal resolution 2.5 km or finer. It uses physical parameterizations based on the French academia model Meso-NH and the external surface model SURFEX. AROME has been operational at Météo-France since 18 December 2008, with a horizontal resolution of 2.5 km.

SURFEX as surface model

SURFEX (Surface externalisée) is developed at Météo-France and academia for offline experiments and introduced in NWP models to ensure consistent treatment of processes related to surface. Météo-France is already using SURFEX for some of their configurations and is planning to use it for all their configurations. Surface modelling and assimilation will benefit from the possibility of running offline experiments. SURFEX is also used for offline applications in e.g. hydrology, vegetation monitoring and snow avalanche forecasts.

SURFEX includes routines to simulate the exchange of energy and water between the atmosphere and 4 surface types (tiles); land, sea (ocean), lake (inland water) and town. The land or nature tile can be divided further into 12 vegetation types (patches). ISBA (Interaction between Soil Biosphere and Atmosphere) is used for modelling the land surface processes. There are 3 ISBA options; 2- and 3-layer force restore and a diffusive approach, where the first one is used in HIRLAM. Towns may be treated by a separate TEB (Town Energy Balance) module. Seas and lakes are also treated separately. The lake model, FLAKE (Freshwater LAKE), has recently been introduced in SURFEX. A global ECOCLIMAP database which combines land cover maps and satellite information gives information about surface properties. The orography is taken from gtopo30.

“SURFEX Scientific Documentation” and “User’s Guide” are available on <http://www.cnrm.meteo.fr/surfex/>

Data assimilation

NWP models are updated regularly using observations received in real-time from the global observing system. AROME-MetCoOp is updated each third hour; at 00, 03, 06, 09, 12, 15, 18 and 21 UTC.

Surface analysis

Surface analysis is performed by CANARI (Code d’Analyse Nécessaire à ARPEGE pour ses Rejets et son Initialisation) (Taillefer, 2002). The analysis method is Optimal Interpolation and only conventional synoptic observations are used. 2 meter temperature and relative humidity observations are used to update the surface and soil temperature and moisture.

The snow analysis is also performed with CANARI in analogy with the HIRLAM snow analysis. Snow depth observations are used to update Snow Water Equivalent. The snow fields are analysed only at 06 and 18 UTC as there are very few snow depth observations at 00, 03, 09, 12, 15 and 21.

The Sea Surface Temperature (SST) and Sea Ice Concentration (SIC) is not analysed, but taken from the boundaries. ECMWF uses the OSTIA (Operational Sea Surface Temperature and Sea Ice Analysis) product, including SST from UK Met Office and SIC from MET. SST and SIC for the Baltic Sea have since 26 November 2015 been taken from the ocean model HIROMB run at SMHI.

The surface temperature over sea ice was taken from the boundary model and remained unchanged through the forecast. A simple thermodynamical sea ice scheme (SICE) giving prognostic sea ice temperatures in 4 fixed layers was introduced 26 November 2015.

Upper air analysis

AROME-MetCoOp runs three dimensional variational (3D VAR) data assimilation using conventional observations from synop stations, ships, radiosondes and aircrafts and AMSU-A and AMSU-B/MHS data from polar orbiting NOAA and METOP satellites. GNSS were introduced 17 February 2015, radar reflectivities 16 June 2015 and IASI data 26 November 2015.

Boundary fields

AROME-MetCoOp gets its boundary values (1-hourly) from the ECMWF model at approximately 16 km resolution, and has currently 65 vertical levels. None of the HARMONIE configurations at MET have applied digital filter initialization (DFI).

Verification measures

All model forecasts in this report are verified against observations by interpolating (linear) the grid based forecasts to the observational sites. As a consequence, it should be noted that it is the models' abilities to forecast the observations that is being quantified and assessed. Thus, there is no attempt in this report to verify area averaged precipitation for example.

Verification is carried out both for raw and categorized forecasts. In the following, let f_1, \dots, f_n denote the forecasts and o_1, \dots, o_n the corresponding observations.

Forecasts of continuous variables

The verification statistics applied to continuous variables are defined in the table below

Statistic	Acronym	Formula	Range	Optimal score
Mean Error	ME	$\frac{1}{n} \sum_{i=1}^n (f_i - o_i)$	$-\infty$ to ∞	0
Mean Absolute Error	MAE	$\frac{1}{n} \sum_{i=1}^n f_i - o_i $	0 to ∞	0
Standard Deviation of Error	SDE	$\left(\frac{1}{n} \sum_{i=1}^n (f_i - o_i - ME)^2 \right)^{1/2}$	0 to ∞	0
Root Mean Square Error	RMSE	$\left(\frac{1}{n} \sum_{i=1}^n (f_i - o_i)^2 \right)^{1/2}$	0 to ∞	0
Correlation	COR	$\frac{\frac{1}{n} \sum_{i=1}^n (f_i - \bar{f})(o_i - \bar{o})}{\text{SD}(f)\text{SD}(o)}$	-1 to 1	1

In the formula for COR the following definitions are used

$$\begin{aligned}\bar{f} &= \frac{1}{n} \sum_{i=1}^n f_i, & \bar{o} &= \frac{1}{n} \sum_{i=1}^n o_i \\ \text{SD}(f) &= \left(\frac{1}{n} \sum_{i=1}^n (f_i - \bar{f})^2 \right)^{1/2}, & \text{SD}(o) &= \left(\frac{1}{n} \sum_{i=1}^n (o_i - \bar{o})^2 \right)^{1/2}\end{aligned}$$

for the means and standard deviations of the forecasts and observations.

Forecasts of categorical variables

All variables in this report are continuous in raw form, but it is possible to categorize them and verify these. For example, wind speed above a given threshold could be of interest which would result in two possible outcomes (yes and no). The verification is then completely summarized by a contingency table as the one shown below

		event observed	
		yes	no
event forecasted	yes	a	b
	no	c	d

Verification statistics for such forecasts are listed in the following table










Statistic	Acronym	Formula	Range	Optimal score
Hit rate	HR	$\frac{a}{a+c}$	0 to 1	1
False alarm rate	F	$\frac{b}{b+d}$	0 to 1	0
False alarm ratio	FAR	$\frac{b}{a+b}$	0 to 1	0
Equitable threat score	ETS	$\frac{a - ar}{a + b + c - ar}$	-1/3 to 1	1 (0 = no skill)
Hanssen-Kuipers skill score	KSS	HR - F	-1 to 1	1 (0 = no skill)
Heidke skill score	HSS	$\frac{(a+d)/n - ssf}{1 - ssf}$	$-\infty$ to 1	1 (0 = no skill)


In the formula for ETS $ar = (a+b)(a+c)/n$.










In the formula for HSS the score for the standard forecast $ssf = [(a+b)(a+c) + (b+d)(c+d)]/n^2$.

Observations

All observations come from Klimadatavarehuset at MET. Only synop stations are used. The model wind speed is verified against mean wind observations, FF. The post processed wind speed is intended to represent maximum wind speed 10m last hour, and is verified against FX.








Sep to Nov 2016

Temperature 2m


Mean Error

165 Norwegian stations


00+24,+30,+36,+42 UTC



40 Norwegian coastal stations



51 Norwegian inland stations




Sep to Nov 2016

Temperature 2m


Standard Deviation of Error

165 Norwegian stations


00+24,+30,+36,+42 UTC



40 Norwegian coastal stations



51 Norwegian inland stations




Sep to Nov 2016

Temperature 2m


Mean Absolute Error

165 Norwegian stations


00+24,+30,+36,+42 UTC



40 Norwegian coastal stations




51 Norwegian inland stations




AM25 00+12

ME at observing sites (numbers in black) forecast means 01.09.2016 – 08.11.2016




AM25 00+24

ME at observing sites (numbers in black) forecast means 01.09.2016 – 08.11.2016




AM25 00+12

SDE at observing sites (numbers in black) forecast means 01.09.2016 – 08.11.2016




AM25 00+24

SDE at observing sites (numbers in black) forecast means 01.09.2016 – 08.11.2016




AM25 00+12

ME at observing sites (numbers in black) forecast means 01.09.2016 – 08.11.2016




AM25 00+24

ME at observing sites (numbers in black) forecast means 01.09.2016 – 08.11.2016




AM25 00+12

SDE at observing sites (numbers in black) forecast means 01.09.2016 – 08.11.2016



AM25 00+24


SDE at observing sites (numbers in black) forecast means 01.09.2016 – 08.11.2016



AM25 00+12


ME at observing sites (numbers in black)

forecast means 01.09.2016 – 08.11.2016




AM25 00+24

ME at observing sites (numbers in black) forecast means 01.09.2016 – 08.11.2016




AM25 00+12

SDE at observing sites (numbers in black) forecast means 01.09.2016 – 08.11.2016



AM25 00+24

SDE at observing sites (numbers in black) forecast means 01.09.2016 – 08.11.2016




Sep to Nov 2016


Temperature 2m

SVALBARD LUFTHAVN


01.09.2016 – 30.09.2016



01.10.2016 – 31.10.2016



01.11.2016 – 30.11.2016




01.09.2016 – 30.11.2016

	Min	Mean	Max	Std	N
synop: 00,06,12,18	-10.5	2.2	10.6	3.6	364
AA25: 12+18,+24,+30,+36	-11.4	0.9	9.6	3.5	360
ECMWF: 12+18,+24,+30,+36	-11.5	-0.4	6.8	3.6	360

	ME	SDE	RMSE	MAE	Max.abs.err.	N
AA25 – synop	-1.4	1.4	1.9	1.7	5.7	360
ECMWF – synop	-2.6	1.5	3	2.7	7.8	360

Sep to Nov 2016

Temperature 2m






	Min	Mean	Max	Std	N
synop: 00,06,12,18	-5.6	4.2	9.6	2.6	364
AA25: 12+18,+24,+30,+36	-2.8	4.1	7.8	2.1	360
ECMWF: 12+18,+24,+30,+36	-3.4	4.3	8.2	2.2	360

	ME	SDE	RMSE	MAE	Max.abs.err.	N
AA25 – synop	-0.1	0.9	0.9	0.7	3.6	360
ECMWF – synop	0.1	0.9	0.9	0.7	4.1	360

Sep to Nov 2016

Temperature 2m



01.09.2016 – 30.11.2016

	Min	Mean	Max	Std	N
synop: 00,06,12,18	-4.9	4.8	16.4	4.8	364
AM25: 12+18,+24,+30,+36	-7.6	4.1	15.4	4.9	364
AA25: 12+18,+24,+30,+36	-6.8	3.8	15.4	5.1	360
ECMWF: 12+18,+24,+30,+36	-9.2	2.4	15.5	5.5	360

ME SDE RMSE MAE Max.abs.err. N


AM25 – synop	-0.7	1.4	1.6	1.2	6	364
AA25 – synop	-1.1	1.5	1.9	1.4	6.3	360
ECMWF – synop	-2.3	1.6	2.8	2.4	7.3	360

Sep to Nov 2016


Temperature 2m

KAUTOKEINO


01.09.2016 – 30.09.2016



01.10.2016 – 31.10.2016



01.11.2016 – 30.11.2016






01.09.2016 – 30.11.2016

	Min	Mean	Max	Std	N
synop: 00,06,12,18	-24.2	0.2	16.5	8.2	364
AM25: 12+18,+24,+30,+36	-15.6	0.1	16.2	6.8	364
AA25: 12+18,+24,+30,+36	-15.9	0	15.9	6.9	360
ECMWF: 12+18,+24,+30,+36	-19.1	-0.1	15.1	6.9	360

	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	-0.1	2.8	2.8	1.9	13.5	364
AA25 – synop	-0.3	2.8	2.8	2	11.5	360
ECMWF – synop	-0.1	2.5	2.5	1.7	14.4	360

Sep to Nov 2016

Temperature 2m



01.09.2016 – 30.11.2016

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	-4.9	7.6	18.1	4.8	364
— AM25: 12+18,+24,+30,+36	-4.9	6.9	18.4	4.9	364
— ECMWF: 12+18,+24,+30,+36	-2.9	7.7	17.2	4.4	360

ME SDE RMSE MAE Max.abs.err. N


AM25 – synop	-0.7	1.1	1.3	0.9	4.6	364
ECMWF – synop	0.1	1	1	0.8	4.7	360

Sep to Nov 2016


Temperature 2m

BERGEN – FLORIDA


01.09.2016 – 30.09.2016



01.10.2016 – 31.10.2016



01.11.2016 – 30.11.2016






01.09.2016 – 30.11.2016

	Min	Mean	Max	Std	N
synop: 00,06,12,18	-5.9	9.1	27.2	5.7	364
AM25: 12+18,+24,+30,+36	-5.9	8.2	24.4	5.6	364
ECMWF: 12+18,+24,+30,+36	-10.1	6.9	24.8	6.3	360

	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	-0.9	1.7	1.9	1.6	4.8	364
ECMWF – synop	-2.2	1.5	2.7	2.3	7.7	360

Sep to Nov 2016

Temperature 2m



01.09.2016 – 30.11.2016

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	-21.1	-1.2	14.1	6.3	305
— AM25: 12+18,+24,+30,+36	-16.9	-0.7	15.6	6.3	364
— ECMWF: 12+18,+24,+30,+36	-20.6	-2	15.5	6.8	360

ME SDE RMSE MAE Max.abs.err. N


AM25 – synop	-0.9	1.7	1.9	1.5	5.8	305
ECMWF – synop	-2.3	1.8	3	2.7	6.6	301

Sep to Nov 2016


Temperature 2m

NESBYEN – TODOKK


01.09.2016 – 30.09.2016



01.10.2016 – 31.10.2016



01.11.2016 – 30.11.2016




01.09.2016 – 30.11.2016

	Min	Mean	Max	Std	N
synop: 00,06,12,18	-17	3.3	24.3	8.3	364
AM25: 12+18,+24,+30,+36	-10.8	4.3	23.7	7	364
ECMWF: 12+18,+24,+30,+36	-20	1.3	21.2	7.9	360

	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	1.1	2.9	3.1	2.4	11.4	364
ECMWF – synop	-1.9	2.8	3.4	2.8	10.9	360

Sep to Nov 2016

Temperature 2m



01.09.2016 – 30.11.2016

	Min	Mean	Max	Std	N
synop: 00,06,12,18	2.5	11.6	19.6	3.8	363
AM25: 12+18,+24,+30,+36	3.3	12	18.3	3.4	364
ECMWF: 12+18,+24,+30,+36	3.4	12.1	18.4	3.5	360


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	0.5	0.8	0.9	0.7	4	363
ECMWF – synop	0.5	0.7	0.9	0.7	3.3	359

Sep to Nov 2016


Temperature 2m

SOLA


01.09.2016 – 30.09.2016



01.10.2016 – 31.10.2016



01.11.2016 – 30.11.2016



01.09.2016 – 30.11.2016

	Min	Mean	Max	Std	N
synop: 00,06,12,18	-8.1	9.3	26.3	6	364
AM25: 12+18,+24,+30,+36	-8.1	8.7	25.2	6.1	364
ECMWF: 12+18,+24,+30,+36	-3.8	8.9	25.2	5.4	360

ME SDE RMSE MAE Max.abs.err. N


AM25 – synop	-0.6	1.5	1.7	1.2	6	364
ECMWF – synop	-0.4	1.4	1.5	1.1	5.1	360

Sep to Nov 2016


Temperature 2m

FÆRDER FYR


01.09.2016 – 30.09.2016



01.10.2016 – 31.10.2016



01.11.2016 – 30.11.2016



01.09.2016 – 30.11.2016

	Min	Mean	Max	Std	N
synop: 00,06,12,18	-3.3	9.8	18.9	5.4	364
AM25: 12+18,+24,+30,+36	-2.3	9.6	18.3	5.2	364
ECMWF: 12+18,+24,+30,+36	-1.3	9.9	18.4	5	360

ME SDE RMSE MAE Max.abs.err. N


AM25 – synop	-0.2	0.9	0.9	0.6	3.8	364
ECMWF – synop	0.2	0.8	0.8	0.6	3.1	360

Sep to Nov 2016


Temperature 2m

OSLO – BLINDERN


01.09.2016 – 30.09.2016



01.10.2016 – 31.10.2016












01.11.2016 – 30.11.2016



01.09.2016 – 30.11.2016


	Min	Mean	Max	Std	N
synop: 00,06,12,18	-7.7	7.2	22.8	6.6	364
AM25: 12+18,+24,+30,+36	-5.5	7.1	23.1	6.6	364
ECMWF: 12+18,+24,+30,+36	-7.6	6.3	20.8	6.4	360

	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	-0.1	1.4	1.4	1.1	5.3	364
ECMWF – synop	-0.9	1.3	1.6	1.4	4	360




Mean Error


266 Norwegian stations




58 coastal stations




85 inland stations




Standard Deviation of Error




58 coastal stations




85 inland stations




Mean Absolute Error





58 coastal stations




85 inland stations












Sep to Nov 2016

Wind speed 10m

Mean Error




Sep to Nov 2016

Wind speed 10m


Standard Deviation of Error

159 Norwegian stations


00+24,+30,+36,+42 UTC



40 Norwegian coastal stations



5 Norwegian mountainous stations




Sep to Nov 2016

Wind speed 10m


Mean Absolute Error

159 Norwegian stations


00+24,+30,+36,+42 UTC



40 Norwegian coastal stations




5 Norwegian mountainous stations




AM25 00+12

ME at observing sites (numbers in black) forecast means 01.09.2016 – 08.11.2016



AM25 00+12


SDE at observing sites (numbers in black) forecast means 01.09.2016 – 08.11.2016



AM25 00+12


ME at observing sites (numbers in black)

forecast means 01.09.2016 – 08.11.2016




AM25 00+12

SDE at observing sites (numbers in black) forecast means 01.09.2016 – 08.11.2016




AM25 00+12

ME at observing sites (numbers in black) forecast means 01.09.2016 – 08.11.2016



AM25 00+12

SDE at observing sites (numbers in black) forecast means 01.09.2016 – 08.11.2016




Sep to Nov 2016


Wind speed 10m

SVALBARD LUFTHAVN


01.09.2016 – 30.09.2016



01.10.2016 – 31.10.2016



01.11.2016 – 30.11.2016



01.09.2016 – 30.11.2016

	Min	Mean	Max	Std	N
synop: 00,06,12,18	0	5.1	15.9	3.3	364
AA25: 12+18,+24,+30,+36	0.3	4.8	15.6	3.3	360
ECMWF: 12+18,+24,+30,+36	0.2	3.3	9.5	1.8	360


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AA25 – synop	-0.3	2.5	2.5	1.9	10.4	360
ECMWF – synop	-1.8	2.3	2.9	2.3	8.6	360

Sep to Nov 2016


Wind speed 10m

BJØRNØYA


01.09.2016 – 30.09.2016



01.10.2016 – 31.10.2016



01.11.2016 – 30.11.2016



01.09.2016 – 30.11.2016




	Min	Mean	Max	Std	N
synop: 00,06,12,18	1.4	7.8	20.3	3.5	364
AA25: 12+18,+24,+30,+36	0.9	8.3	19.6	3.6	360
ECMWF: 12+18,+24,+30,+36	1	7.6	17.9	3.2	360

ME SDE RMSE MAE Max.abs.err. N

AA25 – synop	0.5	1.8	1.9	1.4	6.3	360
ECMWF – synop	-0.3	1.5	1.5	1.1	6	360

Sep to Nov 2016

Wind speed 10m



01.09.2016 – 30.11.2016

	Min	Mean	Max	Std	N
synop: 00,06,12,18	0.3	3	10.2	2	364
AM25: 12+18,+24,+30,+36	0.1	3.2	14.1	2.3	364
AA25: 12+18,+24,+30,+36	0.1	2.9	14.1	2.2	360
ECMWF: 12+18,+24,+30,+36	0.4	2.1	5.5	0.9	360


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	0.1	1.6	1.6	1.2	6.1	364
AA25 – synop	-0.1	1.7	1.7	1.3	5.7	360
ECMWF – synop	-1	1.6	1.9	1.4	5.4	360

Sep to Nov 2016


Wind speed 10m

SLETTNES FYR


01.09.2016 – 30.09.2016



01.10.2016 – 31.10.2016



01.11.2016 – 30.11.2016



01.09.2016 – 30.11.2016

	Min	Mean	Max	Std	N
synop: 00,06,12,18	0.3	5.8	16.9	3.4	364
AM25: 12+18,+24,+30,+36	0.4	6.1	16.7	3.1	364
AA25: 12+18,+24,+30,+36	0.2	5.9	16.5	3.1	360
ECMWF: 12+18,+24,+30,+36	0.1	5.9	14.4	2.7	360


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	0.2	2.2	2.2	1.6	10.2	364
AA25 – synop	0.1	2.1	2.1	1.6	7.5	360
ECMWF – synop	0.1	2.1	2.1	1.6	7.2	360

Sep to Nov 2016


Wind speed 10m

ØRLAND III


01.09.2016 – 30.09.2016



01.10.2016 – 31.10.2016



01.11.2016 – 30.11.2016



01.09.2016 – 30.11.2016

	Min	Mean	Max	Std	N
synop: 00,06,12,18	0.6	6.4	16.4	3.2	364
AM25: 12+18,+24,+30,+36	0.1	5.2	13	2.8	364
ECMWF: 12+18,+24,+30,+36	0	6	13.5	3	360

ME SDE RMSE MAE Max.abs.err. N


AM25 – synop	-1.2	1.6	2	1.6	7.8	364
ECMWF – synop	-0.4	1.5	1.6	1.2	5.3	360

Sep to Nov 2016


Wind speed 10m

YTTERØYANE FYR


01.09.2016 – 30.09.2016



01.10.2016 – 31.10.2016



01.11.2016 – 30.11.2016



01.09.2016 – 30.11.2016

	Min	Mean	Max	Std	N
synop: 00,06,12,18	0.1	7.6	21	4.6	364
AM25: 12+18,+24,+30,+36	0.5	7.7	19.6	4.3	364
ECMWF: 12+18,+24,+30,+36	0.4	7.4	18.2	3.8	360


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	0.1	2.5	2.5	1.9	12.8	364
ECMWF – synop	-0.3	2.1	2.1	1.6	7.7	360

Sep to Nov 2016


Wind speed 10m

FINSEVATN


01.09.2016 – 30.09.2016



01.10.2016 – 31.10.2016



01.11.2016 – 30.11.2016



01.09.2016 – 30.11.2016

	Min	Mean	Max	Std	N
synop: 00,06,12,18	0.2	5.4	19.2	4.1	303
AM25: 12+18,+24,+30,+36	0.3	5.5	21.4	3.8	364
ECMWF: 12+18,+24,+30,+36	0.1	3.4	9.1	1.8	360


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	0.5	2.1	2.1	1.7	8.7	303
ECMWF – synop	-1.8	2.9	3.4	2.5	11.8	299

Sep to Nov 2016


Wind speed 10m

NESBYEN – TODOKK


01.09.2016 – 30.09.2016



01.10.2016 – 31.10.2016



01.11.2016 – 30.11.2016



01.09.2016 – 30.11.2016

	Min	Mean	Max	Std	N
synop: 00,06,12,18	0	0.8	6.2	0.8	364
AM25: 12+18,+24,+30,+36	0	1.3	8.5	1.1	364
ECMWF: 12+18,+24,+30,+36	0.1	1.5	5.9	1	360


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	0.5	0.9	1	0.7	7	364
ECMWF – synop	0.7	0.8	1.1	0.9	4.3	360

Sep to Nov 2016


Wind speed 10m

EKOFISK


01.09.2016 – 30.09.2016



01.10.2016 – 31.10.2016



01.11.2016 – 30.11.2016



01.09.2016 – 30.11.2016

	Min	Mean	Max	Std	N
synop: 00,06,12,18	1	8.1	17	3.1	364
AM25: 12+18,+24,+30,+36	1.2	8.9	18.5	3.4	364
ECMWF: 12+18,+24,+30,+36	0.4	8.4	17	3.2	360


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	0.8	1.7	1.9	1.5	7.5	364
ECMWF – synop	0.4	1.5	1.5	1.1	8.1	360

Sep to Nov 2016


Wind speed 10m

SOLA


01.09.2016 – 30.09.2016



01.10.2016 – 31.10.2016



01.11.2016 – 30.11.2016



01.09.2016 – 30.11.2016

	Min	Mean	Max	Std	N
synop: 00,06,12,18	0	3.7	12.8	2.7	364
AM25: 12+18,+24,+30,+36	0.2	3.6	13.2	2.3	364
ECMWF: 12+18,+24,+30,+36	0	3.5	11.8	1.9	360


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	-0.1	1.5	1.5	1.2	6.6	364
ECMWF – synop	-0.3	1.6	1.6	1.2	5.3	360

Sep to Nov 2016


Wind speed 10m

FÆRDER FYR


01.09.2016 – 30.09.2016



01.10.2016 – 31.10.2016












01.11.2016 – 30.11.2016












01.09.2016 – 30.11.2016

	Min	Mean	Max	Std	N
— synop: 00,06,12,18	0.6	8.5	22.8	3.8	364
— AM25: 12+18,+24,+30,+36	0.2	7.9	21.2	3.5	364
— ECMWF: 12+18,+24,+30,+36	0.1	7.5	16.8	3.2	360


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	-0.6	1.5	1.7	1.3	6	364
ECMWF – synop	-0.9	1.5	1.8	1.4	6	360






Mean Error


218 Norwegian stations




55 coastal stations




9 mountainous stations




Standard Deviation of Error



55 coastal stations




9 mountainous stations




Mean Absolute Error


218 Norwegian stations




55 coastal stations



9 mountainous stations







Mean Error

108 Norwegian stations


00+30 UTC




14 coastal stations



37 stations more than 500 m above sea level




15 stations with daily mean precipitation > 4 mm




Sep to Nov 2016


Daily precipitation




Mean Absolute Error




14 coastal stations



37 stations more than 500 m above sea level




15 stations with daily mean precipitation > 4 mm




AM25 00+30

ME at observing sites (numbers in black) forecast means 01.09.2016 – 08.11.2016



AM25 00+30


SDE at observing sites (numbers in black) forecast means 01.09.2016 – 08.11.2016



AM25 00+30


ME at observing sites (numbers in black)

forecast means 01.09.2016 – 08.11.2016



AM25 00+30


SDE at observing sites (numbers in black) forecast means 01.09.2016 – 08.11.2016



AM25 00+30


ME at observing sites (numbers in black)

forecast means 01.09.2016 – 08.11.2016



AM25 00+30

SDE at observing sites (numbers in black) forecast means 01.09.2016 – 08.11.2016




Sep to Nov 2016


12 hour precipitation

SVALBARD LUFTHAVN


01.09.2016 – 30.09.2016



01.10.2016 – 31.10.2016



01.11.2016 – 30.11.2016



01.09.2016 – 30.11.2016




	Min	Mean	Max	Std	N
synop: 06,18	0	0.8	24.5	2.7	182
AA25: 12+18,+30	0	1.4	27.7	3.6	180
ECMWF: 12+18,+30	0	1.4	19.2	2.6	174

ME SDE RMSE MAE Max.abs.err. N

AA25 – synop	0.6	1.8	1.9	0.8	12.2	180
ECMWF – synop	0.7	1.5	1.7	0.9	11.6	174

Sep to Nov 2016

12 hour precipitation






01.09.2016 – 30.11.2016

	Min	Mean	Max	Std	N
synop: 06,18	0	0.6	10.4	1.5	181
AA25: 12+18,+30	0	0.8	10.8	1.4	180
ECMWF: 12+18,+30	0	0.8	9.4	1.4	174

	ME	SDE	RMSE	MAE	Max.abs.err.	N
AA25 – synop	0.2	1.2	1.2	0.6	6.9	179
ECMWF – synop	0.2	1	1	0.5	6.2	173

Sep to Nov 2016

12 hour precipitation






01.09.2016 – 30.11.2016

	Min	Mean	Max	Std	N
synop: 06,18	0	1.1	19.2	2.7	182
AM25: 12+18,+30	0	1.1	11.8	2.2	182
AA25: 12+18,+30	0	1	10.1	2.2	180
ECMWF: 12+18,+30	0	1.3	14.7	2.4	174

	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	0	2	2	0.8	14.3	182
AA25 – synop	-0.1	2	2	0.8	13	180
ECMWF – synop	0.2	1.5	1.5	0.7	7.8	174

Sep to Nov 2016

12 hour precipitation



01.09.2016 – 30.11.2016

	Min	Mean	Max	Std	N
synop: 06,18	0	1.8	21.7	3.8	181
AM25: 12+18,+30	0	1.6	17.4	3.3	182
AA25: 12+18,+30	0	1.6	17.8	3.3	180
ECMWF: 12+18,+30	0	2	23.6	3.9	174


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	-0.1	2.3	2.3	1	13.1	181
AA25 – synop	-0.2	1.6	1.7	0.8	8.7	179
ECMWF – synop	0.3	2.9	2.9	1.2	18.3	174

Sep to Nov 2016


12 hour precipitation

ØRLAND III


01.09.2016 – 30.09.2016



01.10.2016 – 31.10.2016



01.11.2016 – 30.11.2016



01.09.2016 – 30.11.2016

	Min	Mean	Max	Std	N
synop: 06,18	0	1.5	19.4	3.3	179
AM25: 12+18,+30	0	1.9	18.2	3.7	182
ECMWF: 12+18,+30	0	2.3	20.5	4	174


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	0.4	2.5	2.5	1.2	11.6	179
ECMWF – synop	0.9	2.2	2.4	1.2	11.1	171

Sep to Nov 2016


12 hour precipitation

BERGEN – FLORIDA


01.09.2016 – 30.09.2016



01.10.2016 – 31.10.2016



01.11.2016 – 30.11.2016



01.09.2016 – 30.11.2016

	Min	Mean	Max	Std	N
synop: 06,18	0	3.7	33.7	6.8	182
AM25: 12+18,+30	0	2.6	36.7	5	182
ECMWF: 12+18,+30	0	2.9	34.5	4.9	174


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	-1.1	4.1	4.3	2	20.7	182
ECMWF – synop	-0.7	3.9	4	1.9	23	174

Sep to Nov 2016


12 hour precipitation

LÆRDAL IV


01.09.2016 – 30.09.2016



01.10.2016 – 31.10.2016



01.11.2016 – 30.11.2016



01.09.2016 – 30.11.2016

	Min	Mean	Max	Std	N
synop: 06,18	0	0.5	7.1	1.2	148
AM25: 12+18,+30	0	1.7	31.8	4.1	182
ECMWF: 12+18,+30	0	1.9	19.1	3.5	174


	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	0.9	3.2	3.3	1.3	28.1	148
ECMWF – synop	1.3	2.7	3	1.5	15.4	144

Sep to Nov 2016


12 hour precipitation

GARDERMOEN


01.09.2016 – 30.09.2016



01.10.2016 – 31.10.2016



01.11.2016 – 30.11.2016



01.09.2016 – 30.11.2016

	Min	Mean	Max	Std	N
synop: 06,18	0	0.8	12.6	2	182
AM25: 12+18,+30	0	1	19.9	2.6	182
ECMWF: 12+18,+30	0	0.9	13.5	2	174

ME SDE RMSE MAE Max.abs.err. N


AM25 – synop	0.2	1.4	1.4	0.6	10.1	182
ECMWF – synop	0.1	1.1	1.1	0.5	5.5	174

Sep to Nov 2016


12 hour precipitation

NELAUG


01.09.2016 – 30.09.2016



01.10.2016 – 31.10.2016



01.11.2016 – 30.11.2016



01.09.2016 – 30.11.2016

	Min	Mean	Max	Std	N
synop: 06,18	0	1.6	42	5	178
AM25: 12+18,+30	0	1.2	18.9	2.8	182
ECMWF: 12+18,+30	0	1.5	39.4	4.1	174

	ME	SDE	RMSE	MAE	Max.abs.err.	N
AM25 – synop	-0.4	3.3	3.4	0.9	26.6	178
ECMWF – synop	-0.2	2.4	2.4	0.9	18.8	170